

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("20030074431").PN.	US-PGPUB; USPAT	OR	OFF	2005/12/23 14:37
L2	1	(US-6363411-\$).did.	USPAT	OR	OFF	2005/12/23 14:37
L3	0	2 and (adjunct with telephone)	USPAT	OR	ON	2005/12/23 14:37
L4	0	2 and (adjunct same telephone)	USPAT	OR	ON	2005/12/23 14:38
L5	1	2 and (call\$3 with telephone)	USPAT	OR	ON	2005/12/23 14:38
L6	2630	server with central with device with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:40
L7	21430515	@ad<="20011017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:40
L8	1105	L6 and L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 14:40
L9	525	L8 and servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:40
L10	461	L9 and (available unavailable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:40
L11	163	L10 and (request\$4 with (available unavailable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:41
L12	1	2 and (request\$4 with (available unavailable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 15:29

L13	0	2 and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 15:33
L14	1	2 and (transfer\$4 with call)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 15:33
S1	603	server with blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:18
S2	68	S1 and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 04:59
S4	21352425	@ad<="20011017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:07
S5	5	S2 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 05:03
S6	4	S5 and (access\$3 and request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S7	2012308	"6" and available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09

S8	603	server with blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S9	68	S8 and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S10	21352425	@ad<="20011017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S11	5	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S12	4	S11 and (access\$3 and request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:09
S13	4	S12 and available	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:10
S14	2	S13 and (device with available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:14
S15	1	(US-20020194412-\$).did.	US-PGPUB	OR	OFF	2004/12/23 06:14
S16	1	S15 and (device with available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:14

S17	0	S15 and (device with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:14
S18	1	S15 and (device same access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:15
S19	1	S15 and ((request\$3 utiliz\$3 access\$3) with (device blade resource shared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:19
S20	1	S15 and (quer\$5 request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:20
S21	0	S15 and (wait\$3 idl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:24
S22	1	S15 and (connection connecting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:26
S23	1	S15 and ((connection connecting) with blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:41
S24	1	S15 and (processor with blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:41

S25	603	server with blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:43
S26	9	(query\$3 and request\$3) with blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:47
S27	9	S25 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:44
S28	3	S10 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:44
S29	2162	(query\$3 and request\$3) with (available availability)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:47
S30	8	S25 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 06:47
S31	4	S30 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 07:17
S32	4	S31 and (wait\$3 idl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 07:46
S33	1	(US-6446129-\$).did.	USPAT	OR	OFF	2004/12/23 07:46

S34	1	S33 and (shared with access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 07:46
S35	1	("6070142").PN.	USPAT	OR	OFF	2005/06/08 16:53
S36	1	S35 and (length time duration)	USPAT	OR	ON	2005/06/08 16:54
S37	1	S35 and (length time duration total)	USPAT	OR	ON	2005/06/08 16:54
S38	1	(US-20020194412-\$).did.	US-PGPUB	OR	OFF	2005/06/10 16:28
S39	1	(US-6446129-\$).did.	USPAT	OR	OFF	2005/06/10 16:28
S40	1	S38 S39	USPAT	OR	OFF	2005/06/10 16:29
S41	0	S40 and (request\$4 with device)	US-PGPUB; USPAT	OR	ON	2005/06/10 16:30
S42	0	S40 and (request\$4 same device)	US-PGPUB; USPAT	OR	ON	2005/06/10 16:30
S43	1	S40 and (request\$4 device)	US-PGPUB; USPAT	OR	ON	2005/06/10 16:31
S44	1	S40 and ((request\$4 device) with shar\$4)	US-PGPUB; USPAT	OR	ON	2005/06/10 16:57
S45	1	S40 and shar\$4	US-PGPUB; USPAT	OR	ON	2005/06/10 16:57
S46	2630	server with central with device with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:23
S47	21430515	@ad<="20011017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:18
S48	1105	S46 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:18
S49	525	S48 and servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:19

S50	461	S49 and (available unavailable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:19
S51	181	S50 and (request\$4 with device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:20
S52	21	S50 and (request\$4 with device with (available unavailable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 14:40
S53	0	server with central with (USB adj device) with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:23
S54	4	S52 and USB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 10:24
S55	270	usb with phone with device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 12:08
S56	50	@ad<="20011017" and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:08
S57	209	(usb near3 phone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/23 12:08

S58	71	@ad<="20011017" and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:08
-----	----	-------------------------	---	----	----	------------------